



4. OPEN AND CLOSE DOORS
WITH YOUR **ELBOWS** INSTEAD
OF YOUR HANDS, IF POSSIBLE.





5. ALWAYS PRACTICE THE HAND HYGIENE BEFORE EATING AND AFTER BEING OUT IN PUBLIC.






3. DO NOT SHARE FOOD, UTENSILS, CUPS, OR TOWELS.



USE SERVING SPOONS


DO NOT SHARE A TOWEL FOR THE
WHOLE FAMILY. EACH ONE SHOULD
HAVE THEIR OWN TOWEL.





2. THROW AWAY USED MASK ONCE IT FEELS GROSS AND DO NOT WEAR IT FOR MORE THAN A DAY.

BACTERIA CAN GROW ON THE
INSIDE OF YOUR MASK
IF YOU WEAR IT TOO LONG.



DO NOT TOUCH THE OUTSIDE PART
OF THE MASK. IF YOU DID, WASH
YOUR HANDS WITH SOAP AFTER.



- DO NOT TOUCH YOUR FACE**
OR ANYONE ELSE'S FACE.
WASH YOUR HANDS
THOROUGHLY WITH SOAP IF
YOU HAVE TO.



WASHING OF HANDS UNTIL ELBOW



IT IS **IMPORTANT** TO
FOLLOW THESE



PRECAUTIONS



VIRUSES CAN LAST UP TO 24 HOURS ON OBJECTS



THE ONLY WAY TO GET RID
OF IT IS TO **WASH** THEM OFF WITH **SOAP**



IF YOU TOUCH ANY OF
THESE THINGS BY ACCIDENT
AND THEN TOUCH
YOUR FACE,



ALL OF YOU MIGHT GET SICK



SOMETIMES, A SICK PERSON'S SALIVA CAN BE TRANSFERRED ON



THEIR HANDS



DOOR KNOBS



UTENSILS



ELEVATOR BUTTONS



DIGITAL DEVICES



CUPS



PENS



STAIR BANNISTERS



TISSUE



OUTER PORTION
OF YOUR
FACE MASK



AVOID **CROWDS** BECAUSE
YOU DO NOT KNOW
WHO MIGHT BE **SICK**





OR GIVE THEM A **MASK**
TO PROTECT EVERYONE
ELSE NEARBY





WHEN SOMEONE NEARBY IS
COUGHING, SNEEZING,
AND SICK,



KEEP YOUR
DISTANCE





IT SPREADS WHEN DROPLETS FROM A SICK PERSON





UNDERSTANDING HOW THE **VIRUS** SPREADS

